

Program Leq Professional 6.x - Wydruk danych – pora dnia

Źródła punktowe

Nr	Symbol	X[m]	Y[m]	Z[m]	PmA[dB]
1	WENT1	645.3	424.2	13.0	80.0
2	WENT2	695.4	425.8	13.0	80.0
3	WENT3	645.3	413.0	13.0	80.0
4	WENT4	662.4	413.8	13.0	80.0
5	WENT5	679.5	414.6	13.0	80.0
6	WENT6	695.5	414.7	13.0	80.0
7	WENT7	645.9	399.8	13.0	80.0
8	WENT8	695.8	401.4	13.0	80.0
9	WENT9	636.6	375.4	13.0	80.0
10	WENT10	657.3	372.6	13.0	80.0
11	WENT11	697.4	378.1	13.0	80.0
12	WENT12	637.1	356.6	13.0	80.0
13	WENT13	681.8	357.4	13.0	80.0
14	WENT14	697.8	358.2	13.0	80.0
15	WENT15	637.6	337.4	13.0	80.0
16	WENT16	658.6	344.6	13.0	80.0
17	WENT17	698.6	339.5	13.0	80.0
18	CENT1	613.3	338.0	13.5	80.0
19	CENT2	618.1	340.8	13.5	80.0
20	CENT3	727.6	342.2	13.5	80.0
21	CENT4	733.6	345.8	13.5	80.0
22	CENT5	623.0	441.4	13.5	80.0
23	CENT6	628.6	446.0	13.5	80.0
24	CENT7	700.5	445.0	13.5	80.0
25	CENT8	706.0	450.2	13.5	80.0
26	CHL1	628.5	441.6	13.5	75.0
27	CHL2	634.2	446.2	13.5	75.0
28	CHL3	639.3	441.5	13.5	75.0
29	CHL4	706.2	445.2	13.5	75.0
30	CHL5	711.1	450.4	13.5	75.0
31	CHL6	716.0	445.6	13.5	75.0
32	CHL7	618.0	337.8	13.5	75.0
33	CHL8	613.4	333.4	13.5	75.0
34	CHL9	618.0	329.0	13.5	75.0
35	CHL10	733.8	342.0	13.5	75.0
36	CHL11	727.8	336.9	13.5	75.0
37	CHL12	733.9	332.2	13.5	75.0
38	WENT18	634.0	441.5	13.0	75.0
39	WENT19	639.3	446.4	13.0	75.0
40	WENT20	711.1	445.4	13.0	75.0
41	WENT21	715.6	450.5	13.0	75.0
42	WENT22	618.0	333.5	13.0	75.0
43	WENT23	613.5	328.6	13.0	75.0
44	WENT24	733.5	337.1	13.0	75.0
45	WENT25	727.9	332.1	13.0	75.0

46	WENT26	664.5	327.3	13.0	80.0
47	WENT27	687.7	328.3	13.0	80.0
48	WENT28	669.1	327.6	13.0	80.0
49	WENT29	673.7	327.6	13.0	80.0
50	WENT30	683.2	328.2	13.0	80.0
51	WENT31	678.6	328.0	13.0	80.0
52	WENT32	668.2	445.8	13.0	80.0
53	WENT33	673.5	446.2	13.0	80.0
54	WENT34	668.3	440.2	13.0	80.0
55	WENT35	673.8	440.3	13.0	80.0
56	WENT36	668.4	435.0	13.0	80.0
57	WENT37	673.9	435.1	13.0	80.0
58	WENT38	665.1	453.0	4.0	80.0
59	WENT39	668.6	453.2	4.0	80.0
60	WENT40	671.8	453.3	4.0	80.0
61	WENT41	674.6	453.4	4.0	80.0
62	CHL13	603.0	440.2	3.5	60.0
63	CHL14	778.6	359.8	3.5	60.0
64	WENT42	601.1	440.4	3.5	60.0
65	WENT43	776.8	359.3	3.5	60.0
66	WENT44	766.2	336.9	4.5	60.0
67	AWL1	657.9	357.2	13.5	85.0
68	AWL2	661.9	357.4	13.5	85.0
69	AWL3	657.9	352.8	13.5	85.0
70	AWL4	662.0	353.0	13.5	85.0

Źródła liniowe

Nr	Symbol	X1[m]	Y1[m]	X2[m]	Y2[m]	Z1[m]	Z2[m]	Pma [dB]
1	T1	579.0	464.0	579.0	455.0	1.0	1.0	84.0
2	T2	579.0	455.0	596.0	442.0	1.0	1.0	78.0
3	T3	596.0	443.0	600.0	337.0	1.0	1.0	88.0
4	T4	596.0	443.0	607.0	443.0	1.0	1.0	73.0
5	T5	607.0	443.0	618.0	454.0	1.0	1.0	73.0
6	T6	617.0	454.0	739.0	459.0	1.0	1.0	83.0
7	T7	739.0	459.0	755.0	447.0	1.0	1.0	79.0
8	T8	754.0	447.0	758.0	347.0	1.0	1.0	88.0
9	T9	758.0	347.0	785.0	352.0	1.0	1.0	85.0

Ekranu akustyczne

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	ho[m]	h[m]
1	736.8	329.8	726.5	329.5	725.8	347.4	736.1	347.8	0.0	12.5
2	622.1	324.4	611.8	324.1	611.1	342.0	621.4	342.4	0.0	12.5
3	622.1	324.4	726.6	329.6	722.4	455.2	617.2	450.4	0.0	12.5
4	521.2	137.6	794.0	149.2	789.7	285.6	515.4	274.4	0.0	12.0
5	774.4	356.1	780.6	357.8	778.9	365.0	772.2	363.1	0.0	3.0
6	599.2	437.8	607.1	437.5	607.1	442.3	599.4	442.1	0.0	3.0
7	381.0	583.3	496.4	559.4	507.8	609.8	391.9	637.4	0.0	8.0
8	877.4	284.2	738.7	741.1	836.6	772.4	976.0	313.4	0.0	12.0

9	857.0	705.1	974.0	319.5	1020.2	333.8	904.6	714.6	0.0	12.0
10	908.0	209.4	961.0	225.1	952.9	253.0	899.2	236.6	0.0	4.0
11	1019.5	216.2	1071.2	231.9	1065.8	253.0	1012.0	237.3	0.0	15.0
12	1014.8	238.7	1060.3	252.3	1049.4	287.0	1004.6	274.7	0.0	5.0

Ekran akustyczny : współczynniki odbicia ścian

Nr	ściana1	ściana2	ściana3	ściana4	dach
1	1.000	1.000	1.000	1.000	1.000
2	1.000	1.000	1.000	1.000	1.000
3	1.000	1.000	1.000	1.000	1.000
4	1.000	1.000	1.000	1.000	1.000
5	1.000	1.000	1.000	1.000	1.000
6	1.000	1.000	1.000	1.000	1.000
7	1.000	1.000	1.000	1.000	1.000
8	1.000	1.000	1.000	1.000	1.000
9	1.000	1.000	1.000	1.000	1.000
10	1.000	1.000	1.000	1.000	1.000
11	1.000	1.000	1.000	1.000	1.000
12	1.000	1.000	1.000	1.000	1.000

Źródła typu hala produkcyjna

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	ho[m]	h[m]
1	759.0	340.0	761.0	330.6	769.0	332.6	767.0	342.0	0.0	4.0
ŚCIANA			Elementy							
nr	L_wew	Ra	nr	x	y	dx	dy	R_el		
1	97.7	32.0								
2	97.7	32.0								
3	97.7	32.0								
4	97.7	32.0								
D	97.7	35.0								

Program LEQ Professional 6 dla Windows - Wydruk wyników

Lp. X [m] Y [m] z [m] Leq

1 515,4 350,2 4,0 39,6

2 493,8 323,4 4,0 38,4

3 471,8 131,6 4,0 26,8

4 555,8 764,8 4,0 33,2

Koniec obliczeń

Program Leq Professional 6.x - Wydruk danych – pora nocy

Źródła punktowe

Nr	Symbol	X[m]	Y[m]	Z[m]	PmA[dB]
1	WENT1	645.3	424.2	13.0	80.0
2	WENT2	695.4	425.8	13.0	80.0
3	WENT3	645.3	413.0	13.0	80.0
4	WENT4	662.4	413.8	13.0	80.0
5	WENT5	679.5	414.6	13.0	80.0
6	WENT6	695.5	414.7	13.0	80.0
7	WENT7	645.9	399.8	13.0	80.0
8	WENT8	695.8	401.4	13.0	80.0
9	WENT9	636.6	375.4	13.0	80.0
10	WENT10	657.3	372.6	13.0	80.0
11	WENT11	697.4	378.1	13.0	80.0
12	WENT12	637.1	356.6	13.0	80.0
13	WENT13	681.8	357.4	13.0	80.0
14	WENT14	697.8	358.2	13.0	80.0
15	WENT15	637.6	337.4	13.0	80.0
16	WENT16	658.6	344.6	13.0	80.0
17	WENT17	698.6	339.5	13.0	80.0
18	CENT1	613.3	338.0	13.5	80.0
19	CENT2	618.1	340.8	13.5	80.0
20	CENT3	727.6	342.2	13.5	80.0
21	CENT4	733.6	345.8	13.5	80.0
22	CENT5	623.0	441.4	13.5	80.0
23	CENT6	628.6	446.0	13.5	80.0
24	CENT7	700.5	445.0	13.5	80.0
25	CENT8	706.0	450.2	13.5	80.0
26	CHL1	628.5	441.6	13.5	75.0
27	CHL2	634.2	446.2	13.5	75.0
28	CHL3	639.3	441.5	13.5	75.0
29	CHL4	706.2	445.2	13.5	75.0
30	CHL5	711.1	450.4	13.5	75.0
31	CHL6	716.0	445.6	13.5	75.0
32	CHL7	618.0	337.8	13.5	75.0
33	CHL8	613.4	333.4	13.5	75.0
34	CHL9	618.0	329.0	13.5	75.0
35	CHL10	733.8	342.0	13.5	75.0
36	CHL11	727.8	336.9	13.5	75.0
37	CHL12	733.9	332.2	13.5	75.0
38	WENT18	634.0	441.5	13.0	75.0
39	WENT19	639.3	446.4	13.0	75.0
40	WENT20	711.1	445.4	13.0	75.0
41	WENT21	715.6	450.5	13.0	75.0
42	WENT22	618.0	333.5	13.0	75.0
43	WENT23	613.5	328.6	13.0	75.0
44	WENT24	733.5	337.1	13.0	75.0
45	WENT25	727.9	332.1	13.0	75.0

46	WENT26	664.5	327.3	13.0	80.0
47	WENT27	687.7	328.3	13.0	80.0
48	WENT28	669.1	327.6	13.0	80.0
49	WENT29	673.7	327.6	13.0	80.0
50	WENT30	683.2	328.2	13.0	80.0
51	WENT31	678.6	328.0	13.0	80.0
52	WENT32	668.2	445.8	13.0	80.0
53	WENT33	673.5	446.2	13.0	80.0
54	WENT34	668.3	440.2	13.0	80.0
55	WENT35	673.8	440.3	13.0	80.0
56	WENT36	668.4	435.0	13.0	80.0
57	WENT37	673.9	435.1	13.0	80.0
58	WENT38	665.1	453.0	4.0	80.0
59	WENT39	668.6	453.2	4.0	80.0
60	WENT40	671.8	453.3	4.0	80.0
61	WENT41	674.6	453.4	4.0	80.0
62	CHL13	603.0	440.2	3.5	60.0
63	CHL14	778.6	359.8	3.5	60.0
64	WENT42	601.1	440.4	3.5	60.0
65	WENT43	776.8	359.3	3.5	60.0
66	WENT44	766.2	336.9	4.5	60.0
67	AWL1	657.9	357.2	13.5	85.0
68	AWL2	661.9	357.4	13.5	85.0
69	AWL3	657.9	352.8	13.5	85.0
70	AWL4	662.0	353.0	13.5	85.0

Źródła liniowe

Nr	Symbol	X1[m]	Y1[m]	X2[m]	Y2[m]	Z1[m]	Z2[m]	Pma [dB]
1	T1	579.0	464.0	579.0	455.0	1.0	1.0	78.0
2	T2	579.0	455.0	596.0	442.0	1.0	1.0	71.0
3	T3	596.0	443.0	600.0	337.0	1.0	1.0	82.0
4	T8	754.0	447.0	758.0	347.0	1.0	1.0	84.0
5	T9	758.0	347.0	785.0	352.0	1.0	1.0	80.0

Ekranry akustyczne

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	ho[m]	h[m]
1	736.8	329.8	726.5	329.5	725.8	347.4	736.1	347.8	0.0	12.5
2	622.1	324.4	611.8	324.1	611.1	342.0	621.4	342.4	0.0	12.5
3	622.1	324.4	726.6	329.6	722.4	455.2	617.2	450.4	0.0	12.5
4	521.2	137.6	794.0	149.2	789.7	285.6	515.4	274.4	0.0	12.0
5	774.4	356.1	780.6	357.8	778.9	365.0	772.2	363.1	0.0	3.0
6	599.2	437.8	607.1	437.5	607.1	442.3	599.4	442.1	0.0	3.0
7	381.0	583.3	496.4	559.4	507.8	609.8	391.9	637.4	0.0	8.0
8	877.4	284.2	738.7	741.1	836.6	772.4	976.0	313.4	0.0	12.0
9	857.0	705.1	974.0	319.5	1020.2	333.8	904.6	714.6	0.0	12.0
10	908.0	209.4	961.0	225.1	952.9	253.0	899.2	236.6	0.0	4.0
11	1019.5	216.2	1071.2	231.9	1065.8	253.0	1012.0	237.3	0.0	15.0
12	1014.8	238.7	1060.3	252.3	1049.4	287.0	1004.6	274.7	0.0	5.0

Ekran akustyczny : współczynniki odbicia ścian

Nr	ściana1	ściana2	ściana3	ściana4	dach
1	1.000	1.000	1.000	1.000	1.000
2	1.000	1.000	1.000	1.000	1.000
3	1.000	1.000	1.000	1.000	1.000
4	1.000	1.000	1.000	1.000	1.000
5	1.000	1.000	1.000	1.000	1.000
6	1.000	1.000	1.000	1.000	1.000
7	1.000	1.000	1.000	1.000	1.000
8	1.000	1.000	1.000	1.000	1.000
9	1.000	1.000	1.000	1.000	1.000
10	1.000	1.000	1.000	1.000	1.000
11	1.000	1.000	1.000	1.000	1.000
12	1.000	1.000	1.000	1.000	1.000

Źródła typu hala produkcyjna

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	ho[m]	h[m]
1	759.0	340.0	761.0	330.6	769.0	332.6	767.0	342.0	0.0	4.0
ŚCIANA			Elementy							
nr	L_wew	Ra	nr	x	y	dx	dy	R_el		
1	97.7	32.0								
2	97.7	32.0								
3	97.7	32.0								
4	97.7	32.0								
D	97.7	35.0								

Program LEQ Professional 6 dla Windows - Wydruk wyników

Lp.	X [m]	Y [m]	z [m]	Leq
1	515,4	350,2	4,0	38,3
2	493,8	323,4	4,0	37,4
3	471,8	131,6	4,0	26,1
4	555,8	764,8	4,0	32,5

Koniec obliczeń